IEEE *Xplore* ®
RELEASE 2.1

Welcome United States Patent and Trademark Office

□ Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Edit an existing query or
compose a new query in the
Search Query Display.

Select a search number (#)
to:

- Add a query to the Search
  Query Display
- Combine search queries
  using AND, OR, or NOT
- Delete a search
- Run a search

Tue, 13 Jun 2006, 7:40:10 AM EST

Search Query Display

[   ]

[Run Search]   [Reset]

Recent Search Queries		Results
#1	((compare<in>metadata) <and> (mid point<in>metadata))	7
#2	((compare<in>metadata) <and> (midpoint<in>metadata))	33
#3	((compare<in>metadata) <and> (mid-point<in>metadata))	7
#4	((differential signaling<in>metadata) <and> (fault<in>metadata))	7
#5	((two rail<in>metadata) <and> (fault<in>metadata))	34

[Clear Session History]

Indexed by
щ Inspec®

EAST Search History

Re f #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	31	fault AND (first NEAR second NEAR value) AND threshold AND "digital data"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/13 06:04
S1	717	(324/509.ccls. OR 324/522.ccls. OR 324/140R.ccls.) AND @ad<"20020815"	US-PGPUB; USPAT; USOCR	AND	ON	2006/06/12 08:18
S2	469	(714/712.ccls.) AND @ad<"20020815"	US-PGPUB; USPAT; USOCR	AND	ON	2006/06/12 07:19
S3	44	714/816.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/12 07:19

S4	49	715/715.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/12 07:59
S5	14	compar??? NEAR3 mid?point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/12 08:20
S6	1	(compar??? NEAR3 mid?level) AND fault	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/12 08:20

S7	395	fault AND (first NEAR second NEAR value) AND threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/13 07:28
S9	628	375/224.ccls. AND @ad<"20020815"	US-PGPUB; USPAT; USOCR	AND	ON	2006/06/12 09:32

Dialcg DataStar◌

options | logpff | feedback | help

databases | easy search

UNITED STATES
PATENT AND
TRADEMARK OFFICE
An Agency of the United States
Department of Commerce

sira

Advanced Search:
Inspec - 1898 to date (INZZ)

limit

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	two ADJ rail AND fault	unrestricted	55	show titles

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips   ☑ Thesaurus mapping

[   ] [whole document   ▾] 🔵

Information added since: [   ] or: [none   ▾]
(YYYYMMDD)

search

☐ Documents with images

Select special search terms from the following list(s):
◑ Publication year 1950-
◑ Publication year 1898-1949
◑ Inspec thesaurus - browse headings A-G
◑ Inspec thesaurus - browse headings H-Q
◑ Inspec thesaurus - browse headings R-Z
◑ Inspec thesaurus - enter a term
◑ Classification codes A: Physics, 0-1
◑ Classification codes A: Physics, 2-3
◑ Classification codes A: Physics, 4-5
◑ Classification codes A: Physics, 6
◑ Classification codes A: Physics, 7
◑ Classification codes A: Physics, 8
◑ Classification codes A: Physics, 9
◑ Classification codes B: Electrical & Electronics, 0-5
◑ Classification codes B: Electrical & Electronics, 6-9
◑ Classification codes C: Computer & Control
◑ Classification codes D: Information Technology
◑ Classification codes E: Mech., Manufac. & Production Engineering
◑ Treatment codes
◑ Inspec sub-file
◑ Language of publication
◑ Publication types

Top - News & FAQS - Dialog

© **2006** Dialog

⊙ ip.com˙ | **IP.com PriorArtDatabase**

June 13, 2006

USPTO

Securing innovation

Search

| Full Text |
| Concept |
| Document ID |
| Recent Disclosures |

Other

| Prior Art Home |
| Support |
| Logout |

Search for:

two rail | Search |

Limit the results with these filters

Original publication date

Published after: ☐ ___ Select... | MM-DD-YYYY

Published before: ☐ ___ Select... | MM-DD-YYYY . .. .

Specific collection: | All Collections ▪ |

Country of origin: | Any country ▪ |

Language: | Any language ▪ |

Search within: ☐ My company's disclosures only

No disclosures have been published by you or your company.

Display options

Show results with:
- ⦿ Abbreviated abstract
- ○ First keyword match

Highlight matches: ☑ Enable

Search help:

View our full text search reference guide (Boolean, syntax, phonic and fuzzy searching)

- Searching is performed across the full text of documents including bibliographic fields and any extracted text. You do not need to use any special punctuation or commands to search for a phrase. Simply enter the phrase the way it ordinarily appears. You can use a phrase anywhere in your search. apple W/5 fruit salad

- Available positional operators are W/# and NOT W/# meaning "(not) within some number of words." Available Boolean operators are AND, OR, and AND NOT. (strawberry OR chocolate) AND milk

- The CONTAINS operator may be used to restrict to a specific field. Available field names are: TITLE, ABSTRACT, COPYRIGHT, RELATED_PEOPLE, and RELATED_DOCUMENTS RELATED_PEOPLE CONTAINS smith

- Words may contain the special characters ? and * for "match any single character" or "match zero or more characters." (COPYRIGHT CONTAINS mot*) AND (TITLE CONTAINS cell*)

- In order to filter all data by country of origin, publication dates and/or language, simply enter $ALL (not case sensitive) in the 'Search For' field.

- For help with other options, **view our help guide.**

⊙ ip.com™ | IP.com PriorArtDatabase

Securing innovation

June 13, 2006

USPTO

Search

| Full Text |
| Concept |
| Document ID |
| Recent Disclosures |

Other

| Prior Art Home |
| Support |
| Logout |

Search for concept:

A method for producing a fault signal indicating a
fault in a transmission of a data signal
transmitted using differential signaling on a data
line having two signal lines, which comprises the
steps of: comparing a first mid-level value having
a potential in an area of a mid-point between a
signal level on a first signal line and a signal
level on a second signal line when transmitting a
logic "1" with a second mid-level value formed when
transmitting a logic "0"; and generating the fault
signal if a discrepancy between the first and
second mid-level values exceeds a predetermined

Concept Search
powered by

INGENIUM

Search

Limit the results with these filters

Original publication date

Published after: [_____] Select... MM-DD-YYYY

Published before: [_____] Select... MM-DD-YYYY

Specific collection: | All Collections |

Country of origin: | Any country |

Language: | Any language |

Search within: ⌐ My company's disclosures only

No disclosures have been published by you or your company.

Search Hints

- Engenium's Semetric query engine is an advanced conceptual search engine, capable of finding documents regardless of structure, content, or length. Semetric moves search beyond simple keyword queries by inferring the meaning of words based on the context in which they are used. Not only are conceptual relationships measured between words, but also the theme of an entire document is considered to return the most relevant matches available.

- Queries to Semetric have neither a specific syntax nor reserved-word operators. Rather, queries are one or more phrases or sentences that describe the desired concept. A single keyword is not an appropriate Semetric query. A phrase such as "semiconductor fabrication technology" or "wireless interoperability specification" are better examples. To a point, the more provided descriptive information the better. A query could comprise an entire paragraph from a related technology, such as "A flip-chip technology, denominated as DDFC (Direct-Downset Flip-Chip) technology, is characterized by the forming of a downset device hole in the substrate, and by the use of an array of solder bumps over the semiconductor chip and an array of recessed solder-bump pads of an inwardly-tapered conical shape over the bottom surface of the device hole for bonding the semiconductor chip to the substrate" (from US Patent #6,507,119).

- Note that while all documents are presented to the Semetric engine, at present only Western European documents are reliably indexed.

ⓘ ip.com | IP.com PriorArtDatabase

USPTO

June 13, 2006

Securing innovation

Search

| Full Text |
| Concept |
| Document ID |
| Recent Disclosures |

Other

| Prior Art Home |
| Support |
| Logout |

Search for concept:

"two rail" fault "data transmission"

Concept Search powered by:

ENGENIUM

Search

Limit the results with these filters

Original publication date

Published after: [Select...] MM-DD-YYYY

Published before: [Select...] MM-DD-YYYY

Specific collection: All Collections

Country of origin: Any country

Language: Any language

Search within: ⌐ My company's disclosures only

No disclosures have been published by you or your company.

Search Hints

- Engenium's Semetric query engine is an advanced conceptual search engine, capable of finding documents regardless of structure, content, or length. Semetric moves search beyond simple keyword queries by inferring the meaning of words based on the context in which they are used. Not only are conceptual relationships measured between words, but also the theme of an entire document is considered to return the most relevant matches available.

- Queries to Semetric have neither a specific syntax nor reserved-word operators. Rather, queries are one or more phrases or sentences that describe the desired concept. A single keyword is not an appropriate Semetric query. A phrase such as "semiconductor fabrication technology" or "wireless interoperability specification" are better examples. To a point, the more provided descriptive information the better. A query could comprise an entire paragraph from a related technology, such as "A flip-chip technology, denominated as DDFC (Direct-Downset Flip-Chip) technology, is characterized by the forming of a downset device hole in the substrate, and by the use of an array of solder bumps over the semiconductor chip and an array of recessed solder-bump pads of an inwardly-tapered conical shape over the bottom surface of the device hole for bonding the semiconductor chip to the substrate" (from US Patent #6,507,119).

- Note that while all documents are presented to the Semetric engine, at present only Western European documents are reliably indexed.

EAST Search History

Re f #	Hits	Search Query	DBs	Defau lt Oper ator	Plur als	Time Stamp
L7	1	("first mid-level value" SAME "fault signal").clm.	US-PGP UB	AND	ON	2006/06/13 07:35
L8	1	("first mid-level signal" SAME "fault signal").clm.	US-PGP UB	AND	ON	2006/06/13 07:36

Interference Search